

Revision Date 24-Feb-2020

SAFETY DATA SHEET

Version 5

	1. IDENTIFICATION	
<u>Product identifier</u> Product Name	Black Magic Bleche-Wite Tire Cleaner	
<u>Other means of identification</u> Product Code Document	31029 SKU: 120066, 800002222, 800002223,	800002224
<u>Recommended use of the chemic</u> Recommended Use Uses advised against	cal and restrictions on use Tire Cleaner Uses other than recommended use.	
Details of the supplier of the safe Supplier Address ITW Global Brands 16200 Park Row, Suite 120 Houston, TX 77084	ety data sheet Manufacturer Address	Manufactured and Distributed by:
Distributor		May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994
Company Phone Number <u>24-hour emergency phone number</u> (CHEMTREC) 1-800-424-9300 or 1		1000/024-0004

E-mail address: SDS@itwgb.com

(RMPDC) 1-877-504-9352 (U.S.)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

<u>Signal word</u> Danger

Causes serious eye irritation Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Wash hands and face thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection May cause slip hazard if material gets on floor Do not breathe dust/fume/gas/mist/vapors/spray Do not handle until all safety precautions have been read and understood Do not get in eyes, on skin, or on clothing Use only outdoors or in a well-ventilated area

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water IF INHALED: Remove person to fresh air and keep comfortable for breathing IF exposed or concerned: Get medical advice/attention IF SWALLOWED: Rinse mouth. Do NOT induce vomiting If skin irritation occurs: Get medical advice/attention Take off all contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed and enters airways. Severely irritating to the respiratory tract and eyes.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
WATER	7732-18-5	60 - 100
SODIUM ALKYL BENZENE SULFONIC ACID	68081-81-2	1 - 5
SODIUM METASILICATE, PENTAHYDRATE	10213-79-3	1 - 5
DIPROPYLENE GLYCOL MONONBUTYL ETHER	29911-28-2	1 - 5
2-BUTOXYETHANOL	111-76-2	1 - 5
TETRASODIUM EDTA	64-02-8	0.1 - 1

4. FIRST AID MEASURES

Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Most important symptoms and eff	ects, both acute and delayed
Symptoms	See section 2 for more information.
Indication of any immediate medic	al attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable extinguishing media Dry chemical, CO2, water spray or re	egular foam
Unsuitable extinguishing media None	
Specific hazards arising from the of None in particular. Will not burn or su	
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.
Protective equipment and precaut As in any fire, wear self-contained br protective gear.	ions for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective e	equipment and emergency procedures
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	See section 12 for additional ecological information.
Methods and material for containn	nent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Slippery, can cause falls if walked on.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep out of the reach of children. Keep from freezing.	
Incompatible materials	Strong oxidizing agents, Aluminum	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
NIOSH IDLH Immediately Dangerou	us to Life or Health		
Other Information	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering controls			
Engineering Controls	Showers Eyewash stations Ventilation systems		
ndividual protection measures, s	uch as personal protective	<u>equipment</u>	
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.		
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.		
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning c equipment, work area and clothing is recommended.		
	9. PHYSICAL AND CH	EMICAL PROPERTIES	
9.1. Information on basic physical	and chemical properties		
Physical state	Liquid		
Annearance	Blue liquid		

Odor Odor threshold	Solvent No information available Values	Remarks • Method
<u>Property</u> pH	12.5 - 13.5	Remarks • Methou

Melting point / freezing point Boiling point / boiling range Flash point

Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties**

Other Information Softening point Molecular weight VOC Content (%) Density Bulk density SADT (self-accelerating decomposition temperature)

No information available 100 °C / 212 °F No information available Not Applicable No information available No information available No information available No information available Not Determined No information available 1.018 Soluble in water No information available No information available

No information available No information available 1.8 8.48 lb/gal No information available No information available

10. STABILITY AND REACTIVITY

<u>Reactivity</u> Stable under normal use

<u>Chemical stability</u> Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep from freezing.

Incompatible materials

Strong oxidizing agents, Aluminum

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Harmful by inhalation.
Eye contact	Avoid contact with eyes. Causes severe eye burns.
Skin contact	Avoid contact with skin. Contact causes severe skin irritation and possible burns.
Ingestion	Ingestion may cause irritation to mucous membranes. Can burn mouth, throat, and

stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
WATER 7732-18-5	> 90 mL/kg (Rat)	-	-
SODIUM METASILICATE, PENTAHYDRATE 10213-79-3	= 847 mg/kg (Rat)	-	-
DIPROPYLENE GLYCOL MONONBUTYL ETHER 29911-28-2	= 1620 µL/kg (Rat)	= 5860 µL/kg (Rabbit)	= 42.1 ppm (Rat)4 h
2-BUTOXYETHANOL 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm (Rat) 4 h
TETRASODIUM EDTA 64-02-8	= 1658 mg/kg (Rat)= 10 g/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information	on available.		
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table be	low indicates whether each	agency has listed any in	gredient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
2-BUTOXYETHANOL	A3	Group 3	-	-
111-76-2				
A3 - Animal Carcinogen	rence of Governmental Ind acy for Research on Cance <i>n carcinogen</i>	30 /		
Chronic toxicity	May cause a adverse liver	dverse effects on the bone r effects.	marrow and blood-formir	ng system. May cause
Target Organ Effects	· ·	Blood, Central nervous system, Eyes, Hematopoietic System, kidney, Liver, Respiratory system, Skin.		
The following values are calculated based on chapter 3.1 of the GHS document .ATEmix (oral)9936 mg/kgATEmix (dermal)48806 mg/kgATEmix (inhalation-dust/mist)83.3 mg/lATEmix (inhalation-vapor)25000 mg/l				

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

Chemical Name	Partition coefficient
2-BUTOXYETHANOL	0.81
111-76-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

14. TRANSPORT INFORMATION

<u>DOT</u> UN/ID No Proper shipping name: Hazard Class Packing Group	UN 1760 Corrosive Liquid, n.o.s, (Sodium Metasilicate), Limited Quantity (LQ) 8 III
<u>IATA</u> UN/ID No Proper shipping name: Hazard Class Packing Group	UN1760 Corrosive Liquid, n.o.s, (Sodium Metasilicate), Limited Quantity (LQ) 8 III
<u>IMDG</u> UN/ID No Proper shipping name: Hazard Class Packing Group	UN 1760 Corrosive Liquid, n.o.s, (Sodium Metasilicate), Limited Quantity (LQ) 8 III

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

 $\ensuremath{\text{AICS}}$ - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Personal protection B

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-BUTOXYETHANOL - 111-76-2	1.0	
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-BUTOXYETHANOL	Х	Х	Х
111-76-2			

U.S. EPA Label Information

WHMIS Hazard Class Non-controlled

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA HMIS	Health hazards 2 Health hazards 2	Flammability Flammability	Instability 0 Physical hazards 0

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date	24-Feb-2020
Revision Note	

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

2

End of Safety Data Sheet