

Revision Date 13-Jul-2020

SAFETY DATA SHEET

Version 4

	1. IDENTIFICATION	
<u>Product identifier</u> Product Name	Black Magic Intense Tire Wet Spray	
Other means of identification		
Product Code Document	35023 SKU 120079	
Recommended use of the cher	nical and restrictions on use	
Recommended Use	Tire Dressing	
Uses advised against	No information available	
Details of the supplier of the sa	afetv data sheet	
Supplier Address ITW Global Brands	Manufacturer Address	Manufactured and Distributed by:
16200 Park Row, Suite 120		
Houston, TX 77084		
<u>Distributor</u>		<u>May Also Be Distributed by:</u> ITW Permatex Canada 101-2360 Bristol Circle
		Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994
Company Phone Number	1-855-888-1988	

 Company Phone Number
 1-855-888-1988

 24-hour emergency phone number
 (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

 (RMPDC) 1-877-504-9352 (U.S.)
 (U.S.)

E-mail address: SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity	Category 2
Aspiration toxicity	Category 1
Gases under pressure	Compressed gas
Flammable aerosols	Category 1

Label elements

Emergency Overview

Signal word	
Danger	
Suspected of damaging fertility or the unborn child	
May be fatal if swallowed and enters airways	
May cause drowsiness or dizziness	
Contains gas under pressure; may explode if heated	
Extremely flammable aerosol	



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF INHALED: Remove person to fresh air and keep comfortable for breathing IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin. Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
DISTILLATES (PETROLEUM),	64742-47-8	30 - 60
HYDROTREATED LIGHT		
1,1-DIFLUOROETHANE	75-37-6	7 - 13
PROPANE (PROPELLANT)	74-98-6	5 - 10
Octamethylcyclotetrasiloxane	556-67-2	0.1 - 1

4. FIRST AID MEASURES

Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician.

	Take off contaminated clothing and wash before reuse.		
nhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
ngestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	See section 2 for more information.		
ndication of any immediate medicate	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
<u>Suitable extinguishing media</u> Water spray, carbon dioxide (CO2), d	Iry chemical, alcohol-resistant foam		
Unsuitable extinguishing media None			
Specific hazards arising from the c Flammable Aerosol. Contents under p container away from heat and source	hemical pressure and can explode when exposed to heat or flames. Keep product and empty s of ignition. Byproducts may include CO2, Co and hydrocarbons.		
Sensitivity to Mechanical Impact	None. May be ignited by friction, heat, sparks or flames.		
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bre protective gear.	May be ignited by friction, heat, sparks or flames.		
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bre	May be ignited by friction, heat, sparks or flames. ons for firefighters		
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bree protective gear.	May be ignited by friction, heat, sparks or flames. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bree protective gear. Personal precautions, protective en	May be ignited by friction, heat, sparks or flames. <u>ons for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full <u>6. ACCIDENTAL RELEASE MEASURES</u>		
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution is in any fire, wear self-contained breat protective gear. Personal precautions, protective en Personal precautions	May be ignited by friction, heat, sparks or flames. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES guipment and emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or		
ensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautions in any fire, wear self-contained breat rotective gear. Personal precautions, protective en Personal precautions	May be ignited by friction, heat, sparks or flames. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES guipment and emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or		
ensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautions in any fire, wear self-contained breat rotective gear. Personal precautions, protective en Personal precautions	May be ignited by friction, heat, sparks or flames. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Extremely slippery when spilled. See section 12 for additional ecological information.		
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautions in any fire, wear self-contained breat protective gear. Personal precautions, protective en Personal precautions Environmental precautions Environmental precautions Methods and material for containmental	May be ignited by friction, heat, sparks or flames. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Extremely slippery when spilled. See section 12 for additional ecological information.		
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bree protective gear.	May be ignited by friction, heat, sparks or flames. ons for firefighters bathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Extremely slippery when spilled. See section 12 for additional ecological information. ment and cleaning up		
Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precautio As in any fire, wear self-contained bre protective gear. Personal precautions, protective en Personal precautions Environmental precautions Environmental precautions Methods and material for containment Methods for containment	May be ignited by friction, heat, sparks or flames. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Extremely slippery when spilled. See section 12 for additional ecological information. ment and cleaning up Prevent further leakage or spillage if safe to do so. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel		

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Avoid breathing
vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.
Wash contaminated clothing before reuse. Use personal protective equipment as required.Conditions for safe storage, including any incompatibilitiesKeep containers tightly closed in a cool, well-ventilated place. Keep away from sunlight,
ignition sources and other sources of heat. Do not expose to temperatures exceeding 50
°C/122 °F. Keep out of the reach of children.Incompatible materialsStrong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Precautions for safe handling

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PROPANE (PROPELLANT)	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion hazard	TWA: 1800 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1. Information on basic physical a</u> Physical state Appearance Odor Odor threshold	and chemical properties Aerosol Liquid Clear, water white Cherry No information available	
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)	<u>Values</u> No data available No information available No information available <-30 °C / <-22 °F (Liquid) No information available No information available	Remarks • Method

Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	<1
Water solubility	Miscible in water
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening point	No information available
Molecular weight	No information available
Density	0.99 (liquid)
Bulk density	No information available
SADT (self-accelerating	No information available
decomposition temperature)	

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from all heat sources, open flames and other sources of ignition. Temperatures >50 °C / 122 °F.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Aspiration into lungs can produce severe lung damage.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DISTILLATES (PETROLEUM),	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
HYDROTREATED LIGHT			

64742-47-8			
PROPANE (PROPELLANT) 74-98-6	-	-	> 800000 ppm (Rat)15 min
Octamethylcyclotetrasiloxane 556-67-2	= 1540 mg/kg (Rat)	= 794 µL/kg (Rabbit)> 2375 mg/kg (Rat)	= 36 g/m³ (Rat)4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity	No information available. No information available.
Carcinogenicity	No information available.
Target Organ Effects	Central nervous system, Eyes, Respiratory system, Skin.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	5796 mg/kg
ATEmix (dermal)	2318 mg/kg
ATEmix (inhalation-gas)	1576575 mg/l
ATEmix (inhalation-dust/mist)	212.9 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

Chemical Name	Partition coefficient
PROPANE (PROPELLANT)	2.3
74-98-6	
Octamethylcyclotetrasiloxane	5.1
556-67-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations. Dispose of contents/containers in accordance with local regulations.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use. Do not reuse container.
US EPA Waste Number	No information available

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT

UN/ID No Proper shipping name Hazard Class	UN 1950 Aerosols, Flammable Liquid, Limited Quantity (LQ) 2.1
IATA Proper shipping name	Do Not Ship By Air
IMDG UN/ID No Proper shipping name Hazard Class	UN 1950 Aerosols, Flammable Liquid, Limited Quantity (LQ) 2.1

15. REGULATORY INFORMATION			
International Inventories			
TSCA	Complies		
DSL/NDSL	Complies		
EINECS/ELINCS	Complies		
ENCS	Does not comply		
IECSC	Complies		
KECL	Complies		
PICCS	Complies		
AICS	Complies		

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

в

California Proposition 65

This product does not contain any Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,1-DIFLUOROETHANE	Х	Х	-
75-37-6			
PROPANE (PROPELLANT)	Х	Х	Х
74-98-6			
2,6-dimethylheptan-4-one	Х	Х	Х
108-83-8			

U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 2	Instability 0	-
HMIS	Health hazards 2	Flammability 2	Physical hazards 0	Personal protection

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date

13-Jul-2020

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet