

SAFETY DATA SHEET

Revision Date 21-Jan-2021

1. IDENTIFICATION

Product identifier Product Name

Black Magic Intense Tire Wet

Other means of identification Product Code Document

35030 SKU: 120080

Recommended use of the chemical and restrictions on useRecommended UseTire DressingUses advised againstNo information available

Details of the supplier of the safety data sheetSupplier AddressManufacturer AddressITW Global BrandsITW Global Brands16200 Park Row, Suite 120ITW Global BrandsHouston, TX 77084Itw Global Brands

Manufactured and Distributed by:

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

 Company Phone Number
 1-855-888-1988

 24-hour emergency phone number

 Chemtrec 1-800-424-9300

 (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

 (RMPDC) 1-877-504-9352 (U.S.)

E-mail address: SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Germ cell mutagenicity	Category 1B
Flammable liquids	Category 4

Label elements

Emergency Overview

<u>Signal word</u> Danger

May cause genetic defects Combustible liquid Version 6



Precautionary Statements - Prevention

Use personal protective equipment as required Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF SWALLOWED:

Do NOT induce vomiting IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects.

Unknown acute toxicity

34.2925 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE	64742-46-7	40 - 70
2,6-dimethylheptan-4-one	108-83-8	0.1 - 1

4. FIRST AID MEASURES

Description of first aid measures

General advice	If symptoms persist, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

_

Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.		
Self-protection of the first aider	Use personal protective equipment as required.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medica	I attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
<u>Suitable extinguishing media</u> Use, Use dry chemical, Carbon dioxid	e (CO2), Water spray (fog), Alcohol resistant foam		
Unsuitable extinguishing media None			
Specific hazards arising from the cl Combustible material. Keep product a	<u>hemical</u> nd empty container away from heat and sources of ignition. Risk of ignition.		
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.		
Protective equipment and precautic As in any fire, wear self-contained bre protective gear.	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective ec	uipment and emergency procedures		
Personal precautions	Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.		
Environmental precautions			
Environmental precautions	See section 12 for additional ecological information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.		
Methods and material for containme	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Slippery, can cause falls if walked on. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Dam up. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse with local exhaust ventilation. All equipment used when handling the product must be
grounded. Keep away from heat, hot surfaces, sparks, open flames and other ignition
sources. No smoking. Use personal protective equipment as required. Do not breathe
dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge
(which might cause ignition of organic vapors).Conditions for safe storage, including any incompatibilitiesKeep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated
place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights,
electric motors and static electricity). Keep away from heat. Keep in properly labeled
containers.Incompatible materialsStrong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2,6-dimethylheptan-4-one	TWA: 25 ppm	TWA: 50 ppm	IDLH: 500 ppm
108-83-8		TWA: 290 mg/m ³	TWA: 25 ppm
		(vacated) TWA: 25 ppm	TWA: 150 mg/m ³
		(vacated) TWA: 150 mg/m ³	-

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	None under normal use conditions. Wear protective gloves and protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical	and chemical properties	
Physical state	Liquid	
Appearance	Shiny Glossy	
Odor	Cherry	
Color	Translucent	
Odor threshold	No information available	
Property pH Melting point / freezing point	<u>Values</u> Not applicable No information available	<u>Remarks • Method</u>

Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility(ies) **Partition coefficient** Autoignition temperature Hyphen Kinematic viscosity Dynamic viscosity **Explosive properties Oxidizing properties** Other Information Softening point

Softening point Molecular weight VOC content Density Bulk density SADT (self-accelerating decomposition temperature) No information available 92.8 °C / 199 °F No information available No information available

No information available No information available No information available No information available No information available Insoluble No information available No information available

No information available No information available <1% 0.87 No information available No information available Setaflash Closed Cup

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

<u>Conditions to avoid</u> Heat, flames and sparks.

near, names and sparks

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Vapors may be irritating to eyes, nose, throat, and lungs. Expected to be low order of toxicity under normal conditions of use. May cause drowsiness or dizziness. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	May be harmful if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE 64742-46-7	= 7400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 4.6 mg/L (Rat)4 h	
2,6-dimethylheptan-4-one 108-83-8	= 5750 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 2300 ppm (Rat)4 h	
Symptoms related to the physic	cal, chemical and toxicologica	I characteristics		
Symptoms	No information available.			
Delayed and immediate effects	as well as chronic effects from	m short and long-term exposur	<u>e</u>	
Sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	No information available.			
The following values are calcul		he GHS document		
ATEmix (oral)	7515 mg/kg			
ATEmix (dermal)	2033 mg/kg			
	12. ECOLOGICA	L INFORMATION		
Factoriaitu				
<u>Ecotoxicity</u>				
0.2925 % of the mixture consists	of component(s) of unknown ha	zards to the aquatic environment		

Persistence and degradability No information available.

Bioaccumulation No information available.

Mobility

Disperses in water.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations. Contaminated packaging Do not reuse container. US EPA Waste Number Not applicable

14. TRANSPORT INFORMATION

Note:

This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

DOT Proper shipping name	Not regulated
IATA Proper shipping name	Not regulated
IMDG Proper shipping name	Not regulated

15. REGULATORY INFORMATIONInternational InventoriesTSCACompliesDSL/NDSLCompliesEINECS/ELINCSCompliesENCSDoes not complyIECSCCompliesKECLComplies

Legend:

PICCS AICS

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Complies

Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA	311/312	Hazard	Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2,6-dimethylheptan-4-one	Х	Х	Х

108-83-8 U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

B3 - Combustible liquid

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA HMIS	Health hazards 1 Health hazards 1	Flammability Flammability		Instability 0 Physical hazards 0	- Personal protection B
NFPA (National Fire Protect HMIS (Hazardous Material I	,				
Revision Date Revision Note	21-Jan		2		

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet